

SNOW - EXCEL - Data Sheet



Description

SNOW-EXCEL is particularly suitable for industrial and construction applications on the road in winter conditions. It features excellent traction and is ideal for ice and snow operations. Its specially designed tread pattern eliminates slippage risks.

UM

International Standard

Construction

❖ BIAS

Machinery

Industrial: Industrial Tractor

SIZE	Version	LI/SS	PR	RIM REC	RIM ALT	OW	OD	SLR	RC	SRI	Type
16.9 - 24	STANDARD		10	DW 15 L	DW 14 L	445	1320	607	3978		
16.9 - 24	STANDARD	149 A8	12	DW 15 L	DW 14 L	445	1320	607	3978	625	TL
17.5 - 25	STANDARD		12	14.00/1.5		445	1370	612	4070		TL
20.5 - 25	STANDARD		16	17.00/2.0		524	1490	657	4434		TL
23.5 - 25	STANDARD		16	19.50/2.5		600	1620	692	4787		TL

Rolling Circumference & SLR values are at rated Load and inflation pressure. These values may vary at different Load and pressure condition.

Printed on 27/04/2025 12:21

All product data contained in this publication are for information purposes only and may be modified at any time without prior notice. Balkrishna Industries Ltd. or any of its subsidiary companies does not undertake any responsibility or liability for undetected errors and/or misprints. All rights reserved. The materials and contents of this publication and the website are the exclusive property of Balkrishna Industries Ltd. and are protected by industrial and/or intellectual property laws. The user is not permitted to copy, reproduce, transfer, upload, make use of, publish or spread any contents, in whole or in part, on paper format, electronic format or otherwise without prior written consent by Balkrishna Industries Ltd..